

Unisto Novus



segelplastik.net | 62 812-5268-8570



Our new ISO 17712 certified and C-TPAT compliance High Security Bolt Seal is the ideal solution to seal Freight Containers, Truck Doors, Trailers and Railway Wagons. Mainly used in the Shipping, Transport, Air Cargo and Retail industries. A tensile strength of more than 1400 kg prevents opportunistic theft. Removal requires special bolt cutters. Permanent marking of customer name and consecutive numbering or barcode for fast, accurate data capture. Available in a range of plastic colours.

[Certificate ISO 17712 Unisto Novus](#)

Features of this security seal

Type of Seal

Bolt seal

Application

Container

Interlocking petals when closed provides evidence of attempted tampering by spinning

Steel locking body increases security level

Steel components excel the requirement of a minimum diameter of 18 mm


Pulling force 1'400 kg minimum prevents opportunistic theft

Customer name /logo for clear identification

Laser engraved numbering - impossible to change, increases security level

Numbers on bolt and body prevents substitution of component parts

Unisto Novus is fully ISO 17712:2013 compliant, incl. clause 6 "Testing for Evidence of Tampering"

**Materials**

Bolt: High grade low carbon steel Body: stainless steel Coating: Acrylonitrile Butadiene Styrene (ABS)

Tensile Strength

Approx. 1'400 kg

Numbering

Directly laser marked, numbered or barcoded

Customer name/logo

Directly laser marked

Plastic colours

Yellow. Other colours on request

Packaging

10 pieces per blister, 20 blisters per carton, 200 pieces per carton